

16(1)

AUTHOR: Gol'berg, P.A.

SOV/42-14-1-8/27

TITLE: On the Theorem of Wielandt (K teoreme Vil'and'a)

PERIODICAL: Uspekhi matematicheskikh nauk, 1959, Vol. 14, Nr. 1, pp. 153-156 (USSR)

ABSTRACT: Let  $G$  be an arbitrary group,  $\Pi$  be a set of prime numbers. The notion of the  $\Pi$ -subgroup and the Sylow  $\Pi$ -subgroup are introduced as in [Ref 3].  $G$  is called an  $S$ -group if it is decomposable into the direct product of its Sylow subgroups. Theorem: Let an arbitrary group  $G$  have the Sylow  $\Pi$ -subgroup  $H$ ; let this Sylow  $\Pi$ -subgroup  $H$  be an  $S$ -group and have finitely many conjugates in  $G$ . If  $M$  is a  $\Pi'$ -subgroup of  $G$ , where  $\Pi' \subseteq \Pi$ , then there exists an element  $\delta$  in  $G$  so that  $M \subseteq \delta^{-1}H\delta$ . There are 6 references, 4 of which are Soviet, 1 English, and 1 German.

SUBMITTED: October 16, 1957

Card 1/1

10/10

10/10  
Soviet Math. J., Vol. 197, No. 104-105, 1971

Soviet Math. J., Vol. 197, No. 104-105, 1971

The Full Subgroup of Finite Groups

**Author:** V. D. Mazurov (Mazurov) - Institute of Mathematics, USSR Academy of Sciences, Moscow, USSR  
**Title:** On the full subgroup of finite groups. (Russian) [On the full subgroup of finite groups. The author proves that if a finite group has a subgroup of full rank  $\tau$ , then it has a normal subgroup of index  $\tau$ . This implies that the full subgroup of a  $\mathcal{N}$ -solvable group is a  $\mathcal{N}$ -solvable group. The author formulates some additions to both theorems. According to the author only the theorem of Chernikov-Schupp is needed for the proof.]

There are 7 references, 1 of which is Soviet, 1 English, 1 German, and 1 Italian.

**Source:** Ural'skiy nauchno-tekhnicheskiy institut (Ural'skiy nauchno-tekhnicheskiy institut)

**Date:** October 22, 1971, by P. A. Kofman et al., mathematician

**Period:** October 16, 1971

Start 1/1

GOL'BERG, P.A.

VF subgroups of infinite groups. Izv. vys. ucheb. zav.: mat. no.4:  
50-55 '59. (MIRA 12:11)

1.Kolomenskiy pedagogicheskiy institut.  
(Groups, Theory of)

GOL'BERG, P.A. (Moskva)

S-radical and Sylow bases of infinite groups. Mat.sbor. 50 no.1:  
25-42 Ja '60. (MIRA 13:6)  
(Groups, Theory of)

GOL'BERG, P.A.

Hall bases in some classes of groups. Sib.mat.zhur. 1 no.1:  
14-44 My-Je '60. (MIRA 13:11)  
(Groups, Theory of)

GOL'KHERG, P.R., inzh.

Construction of large silos. Zhivotnovodstvo 20 no. 8:79-81 Ag '58.  
(MIRA 11:10)

(Silos)

GOL'BERG, R.S.

ZHUMATOV, Kh.Zh.; DEMIDCOVA, S.I.; BITAYAN, V.V.; POPLAVSKAYA, Ye.A.;  
GOL'BERG, R.S.

Materials on the variability of the bacillary dysentery bacteria  
in the human organism. Zhur. mikrobiol. epid. i immun. no.10:97  
O '54.  
(MIRA 8;1)

I. Iz Kazakhskogo instituta epidemiologii, mikrobiologii i  
gigiyeny.  
(SHIGELLA DYSENTERIAE)

GOL'BERG, S.A.

Mechanical cleaning of suction tubes on combing machines.  
Obm.tekh.opyt. [MLP] no.16:33-34 '56. (MERA 11:11)  
(Combing machines) (Dust collectors)

GOL'BERG, S.A.

Mechanism for lifting the counterweight of a roving machine carriage. Obm.tekh.opyt. [MLP] no.16:36-38 '56. (MIRA 11:11)  
(Spinning machinery)

GOL'BERG, S. Z.

"Strength of Medical Instruments," Med. Prom., No. 3, 1947.

All-Union Sci. Res. Inst. Medical Instruments & Equipment.

SCV/SI-59-16-57436

Translation from: Referativnyy zhurnal. Khimiya, 1959, Nr 16, p 261 (USSR)

AUTHOR: Gol'berg, S.Z.

TITLE: The Investigation of the Effect of the Salt Media Composition in the Thermal Treatment on the Corrosion Resistance of Instruments

PERIODICAL: Materialy po obmenu opytom i nauchn. dostizh. Vses. n.-i. in-t med. instrumentariya i oborud., 1958, Nr 4 (29), pp 99-103

ABSTRACT: The optimum composition of a salt mixture has been established which ensures the production of instruments from stainless and carbon steels with a clean surface without oxidation and decarbonization. Such a composition is the mixture of the salts  $BaCl_2$  - 65% and KCl - 35%. Charcoal serves as a reducing agent for the salt baths.

S. Firsov.

Card 1/1

GOL'BERG, S. Z.

New alloys replacing chrome-nickel stainless steel in medical supplies. Nov. med. tekhn. no. 3 '53 '62 '64. (MIRA 14-12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut meditsinskikh instrumentov i chorudovaniya.

(MEDICAL INSTRUMENTS AND APPARATUS)

S/137/62/C00/005/097/150  
A006/A101

AUTHOR: Gol'berg, S. Z.

TITLE: Investigation of new alloys for the purpose of replacing chrome-nickel stainless steel in medical articles

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 5, 1962, 66, abstract 51395  
("Med. prom-st", SSSR", 1961, no. 12, 51 - 54)

TEXT: The author investigated stainless Cr and Cr-Ni steels with a reduced Ni content, but with amounts of N and Mn, exceeding the Mn content in conventional stainless steel. The possibility was studied of replacing stainless Cr-Ni steels with Al-base alloys. Best alloys for medical purposes were found to be X 18Г 14AH4 (Kh18G14AN4) (I) and X 14Г 14H 3T (Kh14G14N3T) (II) steels. I contains in %: C 0.08, Si 0.8; Mn 13.1; Cr 18.3, Ni 3.5, and has  $\sigma_b$  as high as 87 kg/mm<sup>2</sup>,  $\delta$  45%,  $H_V$  258 kg/mm<sup>2</sup>. II contains in %: C 0.03, Si 0.8, Mn 13.7, Cr 14.08, Ni 2.88 and has  $\sigma_b$  as high as 75 kg/mm<sup>2</sup>,  $\delta$  45%,  $H_V$  183 kg/mm<sup>2</sup>. X 17 (Kh17) and X 17H 2 (Kh17N2) steels are recommended for medical articles which during their manufacturing are not subjected to great deformation and extended

Card 1/2

S/137/62/000/005/097/150  
ACC6/A101

Investigation of...

heating. Al and its alloys are recommended for medical articles operating at high temperatures under conditions of low humidity.

T. Rumyantseva

[Abstracter's note: Complete translation]

Card 2/2

GOL'BERG, S.Z.

Selection and study of alloys used for eyeglass frames. Med. prom.  
15 no.3:27-32 Mr '61. (MIRA 14:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut meditsinskikh  
instrumentov i oborudovaniya.  
(SPECTACLES)

3/102/12/000/010/003/004  
DC-6/3133

AUTHORS: Gelfiberg, S.Z., and Vayner, Ye.L.

TITLE: Extruding radical equipment parts from stainless KHNIGANT sheet steel

PERIODICAL: Naukodnoe i tekhnicheskoye prizvestvo, no. 10, p. 2, 27-30

TEXT: N. T. Vayner (Machine-building Scientific Institute of Measuring Instruments) tested 7 stainless steel grades in search for a low-nickel substitute for X18H10T (Kh18N10T) steel used for equipment produced by cold extrusion. X15Cr14AH4 (Kh16Cr14AH4) was selected as the best substitute, and X14Cr14H3T (Kh14Cr14H3T) as the next best. The chemical composition of Kh18N10T and these substitutes is:

Card 1/2

"APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R000515610013-9  
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R000515610013-9"

1970, 70-13, 10013-9

Revised version of previous document. This document contains information which is not part of the original. The original document is dated 1970, 70-13, 10013-9. It is believed that the revised document is also dated 1970, 70-13, 10013-9.

GOLDBECK, S.P.; WATNER, V.J.

Production of sterilization equipment for stainless steel  
Med. Tech. no. 110-17-1

1. Uszczynnny zapachno-kolorowy stabilizowany  
instrumentów i器械器皿。

L 09859-57 EXP(c)/STI IJP(c) JD/JH

ACC NR: AT6033749

SOURCE CODE: PO/2541/66/010/001/0003/0028

AUTHOR: Golberg, Siawomir

ORG: Institute of Telecommunications and Radio Engineering, Warsaw (Instytut tele- i radiotechniczny)

TITLE: Initial results of the use of aluminum foil in low-power transformers

SOURCE: Warsaw. Instytut Tele- i Radiotechniczny. Prace, v. 10, no. 1 (34), 1966, 3-28

TOPIC TAGS: aluminum foil, aluminum foil coil, electric transformer, induction coil, transformer winding

ABSTRACT: Some aspects are given for using aluminum foil for windings of induction coils. The methods of manufacture are described for aluminum-foil coils and varnished aluminum-foil. The initial test results are presented for a 50-w power transformer and a choke of a power-unit filter with aluminum-foil windings. The effect of such windings on the design of radioelectronic's induction coils is described. Orig. art. has: 10 figures and 2 tables. [Based on author's abstract]

SUB CODE: 20/ SUBM DATE: 30Dec65/ ORIG REF: 004/ SOV REF: 001/  
REF: 695/ UDC: 621.314.21, SKT 2547

GOL'BERG, V.

Assembly-line construction of electrolytic units, Stroitel'  
no.5:2-3 My '58. (MIRA 11:6)

1.Nachal'nik stroitel'nogo uchastka Alyuminstroy - 1 tresta  
Kuznetsktyazstroy.  
(Aluminum industry--Equipment and supplies)  
(Precast concrete construction)

USSR/Engineering  
Construction Industry  
Construction Equipment  
Jun 48

"New Types of Construction Machinery," V. A.  
Gol'berg, Eng., 2 pp

"Struct' Prom" No 6

Points out present deficiency of loading and un-loading mechanisms and other equipment in most building organizations. Discloses new types of power-driven mobile cranes and simple scrapers which should be manufactured in workshops of Trust No 3. Claims that 236 working days per person were saved.  
43/49T39

USSR/Engineering (Contd.)

Jun 48

annually as the result of power-driven cranes.  
Gives five illustrations of various types of cranes.

43/49T39

"APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R000515610013-9"

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R000515610013-9"

ARZHENENKO, L.A.; GOLBERG, V.A.; LITVAK, N.Ye.

Transistor amplifier with an output power up to 150 w for  
follow-up systems. Priborostroenie no.4:16-19 sp. 160.

(Transistor amplifiers)

(MIR-15:6)

"APPROVED FOR RELEASE: Thursday, September 26, 2002  
APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R000515610013-9

GOL'BERG, V.V. (Yuzhno-Sakhalinsk)

Fibroma of the retropharyngeal space. Vest. oto-rin. 16 no.3:  
79 My-Je '54.  
(LARYNX, neoplasms,  
\*fibroma, retropharyngeal)  
(FIBROMA,  
\*retropharyngeal)

(MLRA 7:7)

WLD:DRM, 7.7.

Generalized configuration properties of  $P_3$  and  $P_4$  spaces.  
Bok. no. 1961-1962-1963-1964 (UTA 1961)

Gol'denblit, Vasilij Anatol'evich; D'yachov, Anatol' Ivannovich; ZEL'DERG,  
Z. A., Red.

Pravil'naia teoriia voprosa o storozh' upraknenii  
po teorii uravnenii. Novyya, posvoenie, 1964. 143 p.  
(VINITI 1979)

S/130/63/C00/c03/c02/c01  
A006/A101

AUTHORS: Krichevskiy, Ye. M., Vol'berg, V. Ya.

TITLE: New calibrating of argon-arc electric pipe welding machine

PERIODICAL: Metallurg, no. 3, 1968, pp-27

TEXT: The SU-162 type argon-arc electric pipe welding machine, mounted at the Moscow Pipe Plant, consists of three units with three stands each. The units are equipped with vertical rolls and the distance between the stand axes is 610 mm; one of the units is without vertical rolls; the distance between the axes of the stands is 100 mm. This design makes it possible to calibrate the rolls with one radius which decreases from the first stand in direction of folding. The advantages of this calibration are: the effective distribution of bending angles over the stands, and the use of 3 stands with split disks. Formulae are given for the analytical expression of optimum distribution of bending angles. Tests were run with pipes of 25 mm in diameter folded and welded on grooves intended for 33 mm diameter; the rolls were replaced on the 3 finishing stands with split disk. The pipes were then folded and welded on grooves intended for pipes of 25 mm in diameter. The same tests were performed

Card 1/2

S/136/62/000/010/002/004  
E195/E385

AUTHOR: Gol'berg, V.Ya.

TITLE: Fabrication of brass tubes by resistance butt-seam welding with radiofrequency currents

PERIODICAL: Tsvetnyye metally, no. 10, 1962, 69 - 71

TEXT: The present article describes work carried out at the Moskovskiy trubnyy zavod (Moscow Tube Works), GIPROTSMO and NIITVCh im. Vologdina on the manufacture of brass tubes by resistance butt-seam welding with RF (425 kc/s) currents. The experiments were carried out on brass M68 (L68) tubes, 25 mm OD, 2 mm wall thickness, welded at a rate of 20 m/min. Tungsten electrodes were tried first and found unsuitable because they tended to become overheated, which caused formation of a dark tungsten deposit on the tube surface and led to instability of the welding process. These difficulties were overcome by using tungsten/silver electrodes with a much lower ohmic resistance. The welding pressure applied was similar to that used for welding steel tubes. The best results were obtained under the following conditions:  $I_a = 8.2 \text{ A}$ ;  $U_a = 6.3 \text{ kV}$ ; ✓  
Card 1/2

"APPROVED FOR RELEASE: Thursday, September 26, 2002  
APPROVED FOR RELEASE: Thursday, September 26, 2002

KONYUSHENKO, A.T.; GOLOVKIN, R.V.; GOL'BERG, V.Ya.; ORLOV, Ye.D.

Radio-frequency welding of straight-seam tubes on the 6-32 machine. Metallurg 8 no.10:24-26 O '63. (MIRA 16:12)

### 1. Moskovskiy trubnyy zavod.

INTERVIEW WITH VENDETTA MEMBER OF THE COMMUNIST PARTY OF CHINA  
JIA JIANG, VIKTOR, TAIPEI, TAIWAN

RECORDED WITH APPROVAL OF TAIWAN AND THE CHINESE GOVERNMENT  
AND IS PROVIDED HERE BY TAIWAN, WHO MAY NOT BE KNOWN INDIVIDUALLY  
BY THE NAME OF THE SOURCE. THIS IS A CONFIDENTIAL SOURCE.

GOL'BERG, Ya.F.

The ATsS and ATsSN pumping units. Biul.tekh.-ekon.inform.  
no.2:12-13 '62. (MIRA 15:3)  
(Pumping machinery)

GORSHENINA, T.I.; GOL'BERG, Ye.D.; GOLOSOV, O.S.

Effect on the blood and hemopoietic organs of massive doses of  
betatron radiations. Med. rad. 5 no.11:14-20 N '60. (MIRA 13:12)  
(RADIATION SICKNESS) (HEMATOPOIETIC SYSTEM)

GOL'BERG, Ye.M.

Estimating the volume of an N-simplex by the volumes of its  
faces [with summary in English]. Vest. LGU no.13:5-10 '61.

(Dimensional analysis)

(MIRA 14:7)

L 20667-66 EWT(d) EWT(f) EWP(W) EWP(Y) EWP(R) I.P.(e) JN/EM

ACC NR: AP6001477

SOURCE CODE: UR/0226/65/000/012/0069/0072

AUTHOR: Ivensen, V. A.; Gol'dberg, Z. A.; Eyduk, O. N.; Fnl'kovskiy, V. A.

ORG: All-Union Scientific Research Institute of Hard Alloys (Vsesoyuznyy nauchno-issledovatel'skiy institut tverdykh splavov)

TITLE: Resistance of a hard alloy to failure under impact loads

SOURCE: Poroshkovaya metallurgiya, no. 12, 1965, 69-72

TOPIC TAGS: plastic deformation, mechanical shock resistance, specific resistance, compressive strength, ultimate stress, bending stress, data analysis, tungsten containing alloy, failure

ABSTRACT: The effect of plastic deformation of a hard alloy on its resistance to failure under impact loads was analyzed. It was shown that despite the relatively low value of plastic deformation, the latter has a great effect on the efficiency of the hard-alloy load. This was corroborated by experimental data characterizing the efficiency of a very coarse-grained and a medium-grained alloy with 20% Co. The resistance to failure and efficiency of the coarse-grained alloy is much greater than that of the medium-grained alloy despite the higher ultimate bending and compression strengths of the latter. The differ-

Card 1/2

L 20667-66

ACC NR: AP6001477

ence in tool efficiency is explained by the greater deformability of  
the coarse-grained alloy. Orig. art. has: 1 table. [Based on author's  
abstract] [NT]

SUB CODE: 11, 20/ SUBM DATE: 13Feb65/ ORIG RKF: 003/ OTH REF: 001

Card 2/2 BK

BUGAY, P.M.; FILIPPOVA, Ye.I.; GOL'BERKOVA, A.S. (Khar'kov)

Correlation between absorption spectra and pH of diphenylamine and  
some of its derivatives in ethanol solution. Zhur. fiz. khim. 35  
no. 4:825-827 Ap '61. (MIR 14:5)

I. Khar'kovskiy politekhnicheskiy institut im. V.I. Lenina.  
(Diphenylamine--Spectra) (Hydrogen-ion concentration)

BUGAY, P.M.; GYL'BERKOVA, A.S.; BATENCOVA, L.M.

Effect of solvents on the absorption spectra of some amino-  
and quione derivatives of diphenylamine. Zhur.fiz.khim. 35  
no.8:1731-1737 Ag '61.  
(MIRA 14:8)

1. Khar'kovskiy politekhnicheskiy institut imeni V.I. Lenina.  
(Diphenylamine--Spectra)

BUGAY, P.M.; KONEL'SKAYA, V.N.; GOL'BERKOVA, A.S.; BAZHENOVA, L.M.

Electronic spectra and the nature of absorption bands of aromatic  
amine derivatives. Part 3. Zhur.fiz.khim. 36 no.10:2233-2235  
0 '62. (MIRA 1":4)

1. Khar'kovskiy politekhnicheskiy institut imeni Lenina.

BUGAY, P. M.; KONEL'SKAYA, V. N.; GOL'BERKOVA, A. S.

Electron spectra and the nature of the absorption bands of aromatic amine derivatives. Part 4: Electron spectra and the nature of the absorption bands of acetyl derivatives, N-hydroxy-, and N-nitroso derivatives of diphenylamine.  
Zhur. fiz. khim. 36 no.12:2754-2757 D '62. (MIRA 16:1)

1. Khar'kovskiy politekhnicheskiy institut imeni Lenina.

(Diphenylamine—Spectra)

BUGAY, P. M.; KONEL'SKAYA, V. N.; OOL'BERKOVA, A. S.; BAZHEMOVA, L. M.; and NAYDENOVA, I.I.

"Issledovaniye metodom elektronnykh spektrov kinetiki okisleniya orto oksi-i metoksi-proizvodnykh difenil-amina v 98% H<sub>2</sub>SO<sub>4</sub> vo vremeni i ustanovleniya prirody polos pogloshcheniya."

report submitted for the VIIth European Congress on Molecular Spectroscopy, Budapest,  
22-27 Jul 1963.

LUTSKIY, A.Ye.; GOL'BERKOVA, A.S.

Absorption spectra of disubstituted benzenes with similarly oriented functional groups. Part 4: Hydroxy-, methoxy-, and acetoxy-substituted benzenes. Zhur. ob. khim. 33 no.5:1614-1624 My '63.  
(MIRA 16:6)

1. Khar'kovskiy politekhnicheskiy institut imeni V.I. Lenina.  
(Benzene—Absorption spectra)

LUTSKIY, A.Ye.; GOL'BERKOVA, A.S.

Absorption spectra of disubstituted benzenes with similarly  
oriented functional groups. Part 6: Phthalic acids and their  
methyl esters. Zhur. ob. khim. 33 no.5:1633-1639 My '63.  
(MIRA 16:c)

1. Khar'kovskiy politekhnicheskiy institut imeni V.I. Lenina.  
(Phthalic acid—Absorption spectra)

S/076/63/037/002/011/018  
B101/B186

AUTHORS: Bugay, F. M., Bazhenova, L. M., Gol'berkova, A. S.,  
Konel'skaya, V. N., Naydenova, I. I. (Khar'kov)

TITLE: Electron spectra and nature of the absorption bands of  
aromatic amine derivatives. II. Electron spectra of  
diphenyl amine and its hydroxy and methoxy derivatives

PERIODICAL: Zhurnal fizicheskoy khimii, v. 37, no. 2, 1963, 378-386

TEXT: Based on the classification of absorption bands of diphenyl amine  
derivatives published in Zh. fiz. khimii, 36, 1562, 1962, the bands of  
the following compounds are discussed in detail:  $C_6H_5NHC_6H_4X$ , where X = H,  
o-, m-, or p-OH; o-, m-, or p-CH<sub>3</sub>O, and  $XC_6H_4NHC_6H_4Y$ , where X = Y = o-,  
m-, or p-CH<sub>3</sub>; X = o-, m-, or p-OH, Y = o-, m-, or p-CH<sub>3</sub>O; X = Y = o-, m-,  
or p-CH<sub>3</sub>O. The solutions used were: hexane, ethanol, 98% H<sub>2</sub>SO<sub>4</sub>, glacial  
acetic acid, or ethanol + 2 M sodium alcoholate. The data for  $\lambda$ , log  $\epsilon$ ,  
oscillator strength, electron transfer energy and band width are tabulated.

Card 1/3

Electron spectra and nature ...

S/076/65/037/002/011/018  
B101/B186

In all substances, the fundamental band was the  $A_{1g} \rightarrow B_{2u}$  benzene band which has high absorption and oscillator strength and appears between  $\lambda = 254$  and  $\lambda = 300$  m $\mu$ . Besides this, the A band ( $\lambda = 283-417$  m $\mu$ ) and the short-wave aniline band B ( $\lambda = 220-246$  m $\mu$ ) were observed, but not in all solvents. The long-wave D band ( $\lambda = 335-890$  m $\mu$ ) is observed in almost all dihydroxy, hydroxy-methoxy and dimethoxy derivatives of diphenyl amine. In the presence of two or three functional groups with equal electron-directing properties (OH, OCH<sub>3</sub>, NH) one of the groups, when subjected to the effect of NH as a stronger electron donor acquires, the properties of a weak electron acceptor; this causes the appearance of the A band characteristic of functional groups with opposite sign. Also the dipole moment increases which was 1.95 D for p-hydroxy diphenyl amine, 1.79 D for 4-methoxy diphenyl amine, and 3.5 D for 4,4'-dihydroxy diphenyl amine. On formation of salts, the B band disappears or becomes weaker, when the salt formation is incomplete. In such cases, the oscillator strength decreases and a hypsochromic shift of the  $A_{1g} \rightarrow B_{2u}$  band is observed. There are 2 tables.

Card 2/3

Electron spectra and nature ...

S/076/63/037/002/011/018  
B101/B106

ASSOCIATION: Khar'kovskiy politekhnicheskiy institut im. V. I. Lenina  
(Khar'kov Polytechnic Institute imeni V. I. Lenin)  
SUBMITTED: November 22, 1961

✓

Card 3/3

LUTSKIY, A.Ye.; GOL'BERKOVA, A.S.; BUGAY, P.M.

Absorption spectra of disubstituted benzenes with similarly-oriented functional groups. Part 5: Amino- and acetamido-substituted phenol and anisole. Zhur. ob. khim., 33 no.5: 1624-1632 My '63. (MIRA 16x6)

1. Khar'kovskiy politekhnicheskiy institut imeni V.I. Lenina.  
(Phenol--Absorption spectra)  
(Anisole--Absorption spectra)

S/076/63/037/003/012/020  
B101/B215

AUTHORS: Bugay, P. M., Konel'skaya, V. N., Bazhenova, L. M.,  
Gol'berkova, A. S., Naydenova, I. I.

TITLE: Effect of the type of aromatic amines (primary, secondary,  
tertiary) and their o-derivatives, m-derivatives, and p-  
derivatives on the absorption spectra

PERIODICAL: Zhurnal fizicheskoy khimii, v. 37, no. 3, 1963, 652-655

TEXT: This is a comparison of the widths and intensities of the 288  $\mu\text{m}$  benzene absorption bands in the spectra of aniline, diphenyl amine (DPA), triphenyl amine, o-aminophenol, 2-hydroxy-DPA, 2,2'-dihydroxy-DPA, 2-hydroxy-2'-methoxy-DPA, m-aminophenol, 5-hydroxy-DPA, 3,3'-dihydroxy-2-hydroxy-2'-methoxy-DPA, p-aminophenol, 4-hydroxy-DPA, 4,4'-hydroxy-DPA, 3-hydroxy-3'-methoxy-DPA, and 4-hydroxy-4'-methoxy-DPA dissolved in ethanol, hexane, 98%  $\text{H}_2\text{SO}_4$ , 100%  $\text{CH}_3\text{COOH}$ , and ethanol + 2 M alcoholate. Results: (1) The amino group is conjugated with all benzene rings, although to different degrees in the different compounds. The greatest increase in intensity of the band

Card 1/2

S/076/63/037/003/012/020

B101/B215

Effect of the type of aromatic ...

occurs on transition from aniline to DPA. (2) The chemical activity of the compound and salt formation in  $H_2SO_4$  and  $CH_3COOH$  can be determined from the band intensity. (3) Increase in intensity of maximum absorption on transition from aminophenol to monohydroxy-DPA and decrease in intensity on transition to dihydroxy-DPA confirm that the amino group of DPA is conjugated with both benzene rings and that the conjugation is affected by the functional groups in o, m, or p positions. (4) In the ortho-hydroxy derivatives of aniline and DPA there exists an intramolecular hydrogen bond. (5) The band intensity decreases on salt formation. (6) Intensive changes showing no regular relation to the band intensity occur during the formation of quinoidal compounds and oxidation. There are 5 tables.

ASSOCIATION: Khar'kovskiy politekhnicheskiy institut im. V. I. Lenina  
(Khar'kov Polytechnic Institute imeni V. I. Lenin)

SUBMITTED: March 19, 1962

Card 2/2

BUGAY, P.M.; GOL'BERKVA, A.S.; KENEL'SKAYA, V.N.; NAYDENOVA, I.I.

Absorption spectra and nature of absorption bands of aromatic amine derivatives oxidized in 98% sulfuric acid. Part 1. Zhur.fiz.khim. 37 no.10:1310-1343 0 1963.  
(MIRA 17:2)

I. Khar'kovskiy politekhnicheskiy institut imeni Lenina.

BUGAY, P.M.; GOL'DBERKHOVA, A.S.; NAYLENOVA, I.I.

Absorption spectra and the nature of absorption bands of aromatic  
amine derivatives oxidized in 98% H<sub>2</sub>SO<sub>4</sub>. Zhur. fiz. khim. 37  
(MTRA 17:2)  
no.11:2563-2566. 1963.

1. Khar'kovskiy politekhnicheskiy institut imeni Lenina.

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R000515610013-9"

GOLBERS, L., prof.d-r med.nauk.

Effect of hepatocytotoxic serum on glycogen in the liver of rats. Latv.  
PSR Zin.Akad.Vestis no.2:101-106 '52. (MLRA 6:6)

I. Rizhskiy meditsinskiy institut. (Serum) (Glycogen)

*GOLBERG*

Pathophysiological basis for dietary rations in liver diseases. L. Golbers, Voprosy Pidmiya (Riga), Sbornik 2, 83-90 (1954). Zhur. Khim. 1954, No. 1-993. A review of achievements of Soviet scientists in the field of dietary feeding of liver sufferers. M. Hesch

Golbers, L.

The mechanism of action of a new antituberculosis agent, tubazid (hydrazide of isonicotinile acid). L. Golbers, R. Vlackis, R. Kretulion, and E. Zalecav. *Zinatiga Akad. Viens 1954, No. 6 (Windu No. 35) 55-40* (in Russian)(Latvian summary, 61:2).--Tubazid (I) also contains other hydrazides such as those of isonicotinic, isochromanone, and 2,6-pyridinediethylhydrazide acids, which enhance its bacteriostatic activity. I was introduced intraperitoneally to guinea pigs in amounts of 10-15 mg/kg, once, or repeatedly. I did not influence the counts of hemoglobin, erythrocytes, leukocytes, or their subgroups, but increased the reticulocyte count in the peripheral blood. With I introduced repeatedly, the thrombocyte count increased considerably. No toxic reactions were observed.

Antanas Druvaitis

GO|BERS-L.

Modification of glycemic reaction to adrenaline under influence of morphine. L. Gol'bers and M. Ratniece. *Latvijas PSR Zinānu Akad. Viestis* 1955, No. 11, 89-92 (in Russian; Latvian summary, 93-4).—Subcutaneous administration of 1 ml. 3% morphine (I) per kg. wt. to rabbits caused hyperglycemic reaction (II) which lasted for several hrs. Simultaneous separate injections of I and adrenaline (III) caused II which lasted longer than with III alone.

A. Dravnieks

Golbers, L

✓ Change of glycemic reaction due to introduction of adrenaline under the influence of morphine during experimental toxic hepatitis. L. Golbers and M. Ratnieks (Med. Inst., Riga, Latvia). "Problemy Endokrinol. i Gormonologii," No. 2, 75-80 (1958).—The glycemic reaction to introduction of adrenaline in rabbits, poisoned by  $\text{CCl}_4$ , was different from such reaction in normal animals. In the latter the introduction of adrenaline caused a max. elevation of blood sugar in about 1-2 hrs. after the introduction of adrenaline. The exptl. animals, which were poisoned by  $\text{CCl}_4$ , reached the max. values for blood sugar usually in 3-4 hrs. Furthermore, the blood level returned to the normal value in normal rabbits in about 5 hrs. after introduction of adrenaline, whereas the animals poisoned by  $\text{CCl}_4$  had after 5 hrs. a very high blood sugar, in most cases amounting to 190% of the starting value. Introduction of morphine into the skin at the same time with the introduction of adrenaline changes the character of the glycemic reaction of the animal poisoned by  $\text{CCl}_4$ . The max. elevation of blood sugar took place in the majority of the cases in 4 hrs. after introduction of both morphine and adrenaline. The blood sugar remained very high after 5 hrs. In the normal animal, introduction of morphine into the skin simultaneously with introduction of adrenaline caused an elevation of sugar up to 315 mg. %, and the max. elevation took place in about 3 hrs.; the poisoned animals reached a level of 200 mg. % and the max. elevation took place in about 4 hrs. Also the blood level in the normal animals was much higher after 5 hrs. (av. 245 mg. %), the poisoned animals had an av. blood sugar of 181 mg. %. The results obtained indicate that morphine has a role as a stimulant causing an elevation of adrenaline secretion and a substance which does not affect the glycemic reaction in toxic hepatitis, which is characterized by the decrease of glycogen reserve in the liver.

V. Mihailov

COLLECTS

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R000515610013-9  
APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R000515610013-9

*✓* Role of some vitamins in prophylaxis and treatment of initial forms of hypertension and arteriosclerosis. J. Dobrzański, *Lekarski PZM Rocznik / Ann. Inst. Med. 1956, No. 3, 21-39 (in Russian; Latvian summary).*—A summary of available information indicates that nicotinic acid, choline, and vitamin C retard development of arteriosclerosis (I) and specifically influence treatment of hypertension. Vitamin D promotes I.

—A. Drapnick

GENERAL

**PERIODICALS: VESTIS, No. 1, 1958**

1526, ... example of how to write about the Soviet Union's space program. (Flight, 12 May 1958, in Russian.)

Identical list of West German references (in English), 1958, Spring, 1958, 1959.

ALEKSANDROV, K.I.; GOL'BERT, A.V.

Origin of manganese ores in the Yashka limestone deposit. Geol.  
i geofiz. no.1:115-117 '61. (MIRA 14:5)

l. Sibirskiy nauchno-issledovatel'skiy institut geologii,  
geofiziki i mineral'nogo syr'ya, Novosibirsk.  
(Bol'shaya Yashka--Manganese ores)

GOL'BERT, A.V.

Bauxites of Livanovka deposits in the Ural Mountain region of the  
West Siberian Plain. Trudy SNIGGIMS no.6:136-149 '61.  
(MIRA 15:7)  
(Ural Mountain region--Bauxite)

KASHTANOV, V.A.; GOL'BERT, A.V.

Conditions governing the formation of Upper Cretaceous sediments  
and some minerals in the Ob' Valley portion of the West Siberian  
Plain. Trudy SNIGGIMS no.6:163-172 '61. (MIRA 15:7)  
(Ob' Valley---Ore deposits)

GOLBERT, A.V.

Conditions governing the formation of bauxite-bearing series in the Turgay trough. Trudy SNIIGIMS no.25:81-102 '62. (MIR<sup>A</sup> 16:4)  
(Turgay gates—Bauxite)

GRIGORIEV, V.I.; GOLDBERG, I.V.

Lithological and paleontological investigation of the Paleogene-Upper  
Cretaceous sediments in the Turkhan Basin. Geol. Inst. Acad. Sci. UkrSSR.  
Ukr. Akad. Nauk. 1986. No. 1. 100 p. (Geologicheskaya Karta SSSR, 1:1,  
std. A4) (USSR no. 7716111). Issledovaniya po geologii i mineralogii.

KASHTANOV, V.A., GOL'BERT, A.V.

Geology and mineralogy of Mesozoic and Cenozoic sediments in the  
Yenisey trough and an estimation of their possible reserves. Geol.  
i geofiz. no.4-43-90 '63. (MIRA 1-10)

1. Sibirs'kiy nauchno-issledovatel'skiy institut geologii,  
geofiziki i mineral'nogo syr'ya, Novosibirsk.



BELOUS, I. K., S. N. BULGAKOV; KAMINSKII, V. V., V. V. VENY;  
KLYACHKOVSKII, V. M., A. G. GORELKOV, V. V., N. R. LATEVA, T. N.;  
NOLOZHNIKOV, V. I.; SEMENOV, P. V.; AKHIEZER, L. A., RABIN,  
A. A., BERNIKOV, A. I.; PODGORNIK, V. V.; TALANTOV, N. F.;  
FIL'EV, N. N., BAKANOV, S. V.; TROFIMOV, V. V.; M. LAVRINTSEV,  
N. M., SULEYMANOVA, N. I.; VITEN, V. V.; IVANOV, V. V.;  
BENOV, N. N., BASHKAROV, A. A.; BULGAKOV, V. V.;  
A. I., GAGANOV, A. A., TROFIMOV, V. V.; V. V. TALANTOV,  
L. F., KHODIN, L. V., SHANIN, V. I.; V. V. VENY; D. V. VENYAKA,  
I. I., etc.

(West Siberian lowland) up to 12° C and more. In the south -  
east of Siberia, however, there is a marked decrease in  
heat sum, the mean annual temperature being about 10° C.  
The mean annual temperature in the northern part of the  
Kara Sea is 10° C.

BELOW, IN REVERSE ORDER, THE VARIOUS PARTS.

Przykłady przedstawione w tabeli 10.1 ilustrują, że dla jednego i tego samego typu zasobów (np. dla gleby) istnieje wiele różnych metod oceny ich wartości. Wszystkie te metody opierają się na tym samym podstawowym pojęciu, tzn. o wartości zasobów gleby, ale różnią się w zakresie zastosowania i sposobu obliczania.

DECEASED

GOLBERT, K. A.

1963/3

c' 1962

CHEMISTRY -  
gasoline

see ILC

GOL'BERT, V.N., inzh.; PEVZNER, M.S., inzh.

Concerning the book by S. K. Abramov, O.B. Skirgello, and M. I.

Chel'tsov "Drainage of mine areas and open pits of coal deposits."

Reviewed by V. N. Gol'bert, M. S. Pevzner. Shakht. stroi. 5

no. 633-4 of cover Je '61. (MIRA 14:86)

(Mine drainage)

(Abramov, S.K.) (Skirgello, O.B.)

(Chel'tsov, M.I.)

GOL'BERG, Z. V. Cand. Med. Sci.

Dissertation: "Experimental Tumors of the Tongue." Central Inst. for Advanced Training of Physicians. 29 Apr 47.

SO: Vechernaya Moskva, Apr, 1947 (Project #1/830)

GOL'BIKT, Z. V.

"Experimental Tumors of the Tongue," Arkhiv Patol., 16, No. 2, 1943.

Pathological Anatomical Dept., Cent. Oncological Inst. im P. I. Gartsen, Min.  
Public Health RADA

GOL'BERT, Z. V. - sotsial'nyy nauchnyy sotrudnik

Histomorphologic modification in breast cancer following preoperative  
roentgenotherapy. Trudy AMN SSSR 21 no.4:57-63 '52. (MLRA 10:8)

1. Iz patologoanatomicheskogo otdeleniya TSentral'nogo onkologicheskogo instituta im. P.A.Gertsena Ministerstva zdravookhraneniya RSFSR (dir. - chlen-korrespondent AMN SSSR prof. A.I.Savitskiy)  
(BREAST, neoplasms,  
radiother., preop.)  
(RADIOTHERAPY, in various diseases,  
cancer of breast, preop.)

1800. GOLBERT Z. V.\*Precancer of the breast (Russian text) VGR.  
ONKOL. 1956, 2/1 (25-31) Tables 3 Illus. 5

In 750 autopsy cases (women dead from non-cancerous diseases) 450 (64%) instances were found with morphological changes of the breast; in 6.8% there was proliferation of the epithelium, which is to be regarded as a precancerous state. In 212 autopsies of women who died from mammary cancer, there was fibroadenomatosis in 70.3% and precancer, as indicated above, in 7.5%.

PODOL'SKAYA. Ye.Ya. (Moskva, tsentr. Malokomsomol'skiy per., d.4, kv.1)  
GOL'BERT Z.V. (Moskva, 100 Strel'bischchenskiy per., 16, kv.1)

Comparison of X-ray data with the anatomy of resected lung segments  
in primary bronchial cancer. Vop.onk. 2 no.2:166-172 '56. (MIFIA 10:3)

1. Iz rentgenodiagnosticheskogo otdeleniya (zav. - prof. Ye.E.  
Abarbanel') i patologoanatomiceskogo otdeleniya (zav. - Z. V.  
Gol'bert) Gosudarstvennogo onkologicheskogo instituta im. P.A.Gertsen'a  
(dir. - prof. A.N.Novikov; nauch. rukovod. - chlen-korrespondent AMN  
SSSR prof. A.I.Savitskiy)  
(BRONCHI, neoplasms  
surg., comparison of preop. x-ray with Anat. of resected  
segments)

GOL'BERT, Z.V. (Moskva)

Peculiar reticulocytomas of the lungs; a case of lipid reticuloendotheliosis of the lungs (tumorous form of lipid pneumonia) and reticulocytoma of the lungs from histiocytes. Arkh.pat. 20 no.1:60-66 '58.  
(MRA 13:12)

1. Iz patologoanatomiceskogo otdeleniya Gosudarstvennogo onkologicheskogo instituta imeni P.A. Gertseva (dir. -- doktor meditsinskikh nauk prof. A.N. Novikov).  
(LUNGS--TUMORS)

COLB

*The biotumorigenic activity of cellular tumour extracts*. By N. M. and Goranov Z. V. Oncol. Inst., Moscow. *Vop. Onkol.* 1977, 23 (5): 52-57. Tables 2, Figs. 5.

Cell-free extracts of human tumours were injected into mice: 10 lung cancers (10 mice), 14 sarcomas (14 mice) and 11 gastric and intestinal polyps (23 mice). The latter extract caused one carcinoma and 5 papillomas of the skin - none in the controls. In the animals injected with lung cancer extracts no tumours were found, although precancerous of the lungs was a frequent finding; control mice did not show any precancerous changes. Human sarcoma extracts caused leucosis and leukaemoid reactions; no true sarcomas were observed.

GOL'BERT, Z.V. (Moskva)

Papillary tumors of the ovaries and mesotheliomas. Arkh.pat. 21  
no.7:56-61 '59.

1. Iz patologoanatomiceskogo otdeleniya (zav. - kand.med.nauk  
Z.V. Gol'bert) Gosudarstvennogo onkologicheskogo instituta imeni  
P.A. Gertzena (dir. - prof. A.N. Nevi'kov, nauchnyy rukovoditel' -  
chlen-korrespondent AMN SSSR prof. A.I. Savitskiy).  
(OVARY neoplasms)  
(MESOTHELIOMA)

NOVIKOV, A.N., prof.; GARIN, N.D., doktor med.nauk; GOL'BERT, Z.V.,  
kand.med.nauk; VOLKOVA, M.A., kand.med.nauk; KISELEVA, Ye.S.,  
kand.med.nauk; MATVEYEVA, T.N., kand.med.nauk; VAVAKIN, A.D.,  
kand.med.nauk

Initial experience in the combined treatment of pulmonary  
cancer. Khirurgija no.3:22-28 Ag '62. (MITA 15:3)

1. Iz Gosudarstvennogo nauchno-issledovatel'skogo onkologicheskogo  
instituta imeni P.A. Gertsova (dir. - prof. A.N. Novikov) Minis-  
terstva zdravookhraneniya RSFSR.  
(LUNGS--CANCER)

PANIKAROVSKIY, V.V.; GOL'BERT, Z.V.; GOSH T.Ye.

Cylindromas of the salivary glands. Stomatologija 47 no.5  
47-50 S-O '62.

1. Iz kafedry propedevtiki khirurgicheskoy stomatologii (zav. ..  
prof. G.A.Vasil'yev) Moskovskogo meditsinskogo stomatologichestkogo  
instituta (rektor - doktserent G.N.Beletskiy) i patologoanatomicheskogo  
otdeleniya (zav. .. starshiy nauchnyy sotrudnik Z.V.  
Gol'bert) Gosudarstvennogo onkologicheskogo instituta imeni  
P.A.Gertseva (dir. - prof. A.N.Novikov)  
(SALIVARY GLANDS--TUMORS)

GOL'BERT, Z.V.; BADMAYEVA, V.V.

Review of Iu.M. Vasil'ev's book "Connective tissue and tumor growth in experiment." Vop. onk. 9 no.8:125-126 '63  
(MIRA 17:4)

GOL'BERT, Z.V.

Aneurysmal bone cysts. Khirurgiia 40 no.8:130-136 Ag '64.  
(MIRA 18:3)  
1. Onkologicheskiy institut imeni Gertsena (dir. - prof. A.N.  
Novikov), Moskva.

BADMAYERVA, V.V.; GOL'BERT, Z.V.; KOBOTEEVA, S.A.; SAVCHENKO, G.S.

Morphological changes in a tumor during the preoperative treatment  
of pulmonary cancer with Thio-TEPA. Khirurgiia 41 no.4:24-32 Apr '65.  
(ZMRA 18:5)

1. Patologoanatomiceskoye otdeleeniye (zav. - kand. med. nauk Z.V.  
Gol'bert) Onkologicheskogo instituta imeni Gertsena, Moskva.



GOL'BERT, Z.V.; KOBZEVA, S.A.; MATVEYEVA, T.N.

Morphological changes in lung cancer under the influence of  
preoperative telegammatherapy. Vop. onk. 11 no.8:3-8 '65.  
(MIRA 18:11)

1. Iz patologoanatomicheskogo i radiologicheskogo otdelenij  
Gosudarstvennogo onkologicheskogo instituta imeni P.A.Gertsena  
(direktor -- prof. A.N.Novikov).

DERKACH, V. N.; GOL'BITS, I. I.

Effect of antibiotics on antigenic properties of diphtherial toxins  
and anatoxins in gel diffusion precipitation experiments. Antibiotiki  
6 no.2:153-158 F '61.  
(MIRA 14:5)

1. Mikrobiologicheskiy otdel (zav. - prof. V.S.Derkach) biokhimicheskiy  
otdel (zav. D.M.Koshkina) Khar'kovskogo nauchno-issledovatel'skogo  
instituta vaktsin i sывороток имени I.I. Mechnikova.  
(ANTIBIOTICS) (DIPHTHERIA) (TOXINS AND ANTITOXINS)

SINEL'NIKOV, N.; GOL'BETS, M.; PICHKOV, K.; DRANIKAL', A.; VENAKOV, V.  
SKRINNIKOV, Y.; POLOSTKIN, S.; GARAYEV, V.; SEMENOV, V.  
MINOSYAN, I.

Useful details. Za rul. 15 no.5:insert p.12-14 Ry 1967. (MIRA 10:6)  
(Automobiles)

L'VOV, D.V.; MORGULIS, P.S.; ABRAMOV, S.L.; GOL'IBETS, M.I.

Remarks on the question of the practical value of A.K.D'iankov's works.  
Izv. Akad. SSSR Otd. tekh. nauk no. 5:277-278 My '53. (MLRA 6:8)  
(Bearings (Machinery)) (D'iankov, A.K.)

GOLIBETS, M.N., inch.

Improving the reliability of a system of remote control of hydraulic excavators. Transl. from Sov. Inzh. (1976)

(MIRA 1811)

GOL'IBETS, M.N., inzh.

Icebreaking equipment. Transp. stroi. 15 no.9:51 S '65.  
(MIRA 18:11)

GOL'BEETS, M.N., inzh.

Pile winch with clutch released by the reverse action of the  
electric motor. Transp. strol. 15 no. 6:28-30 Je '65.  
(M-A 18:12)

USSR/Engineering - Refractories

Jun 51

"Increasing the Durability of Tuyeres in a Bessemer Converter," S. G. Afanas'yev, S. B. Gol'bets, Engineers, Dnepropetrovsk Metallurgical Plant imeni Petrovskiy

"Ogneupory" No 6, pp 260-266

Tests showed durability of chromite and high-alumina tuyeres, nearly similar, is almost twice that of ordinary chamotte tuyeres now made at plant. Bottom-lining material is important to durability of tuyeres, and improvement in quality of Dinas bricks, used for lining, appears major factor in longer tuyere life

LC

183T61

USSR/Engineering - Refractories, Service

Dec 51

"Fabrication and Service of Chromite-Magnesite  
Brick," S. B. Gol'bets, Engr, Plant imeni Petrovskiy  
"Ogneupory" No 12, pp 558-562

Discusses measures for improving of chromite-magnesite brick and increasing its life in roof of open-hearth furnaces. Considerable increase of life was attained: 340 heats in 55-ton furnaces and 243 heats in 185-ton furnaces. However this achievement is considered unsatisfactory, since Kuznetsk Metallurgical Combine obtained over 500 melts for 185-ton furnace.

198T23

Digitized by srujanika@gmail.com

### Reaction conditions

Refractory Materials; - also  
utilization of scrap are made for the production of superalloys which, in turn, are used in  
M. No. 3, 1974.  
Based in: Petroskoye

Monthly List of Missing Persons. Letter of Mr. Read, No. 100, Under Sec'y.

APPROVED FOR RELEASE: Thursday, September 26, 2002

024 RDP86-00513R000515610013-9  
CIA-RDP86-00513R000515610013-9"

EDGAR, R.C.

KOVTURENKO, G.A.; GOL'BIN, IA.A., kandidat ekonomicheskikh nauk.

Ways of reducing production costs in the glass industry of the White  
Russian S.S.R. Leg.prom.15 no.1:8-11 Ja '55. (MIRA 8:3)

1. Glavnnyy inzhener Belsteklresta (for Kovtunenko).  
(White Russia--Glass manufacture)

GOL'BIN, Ya.A.; TRONYAK, D.N.

There should be a constant increase in the productivity of labor  
and equipment. Leg.prom. 15 no.9:16-17 S '55. (MLRA 9:1)  
(Russia--Manufactures)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R000515610013-9"

GOL'BIN, Ya., kandidat ekonomicheskikh nauk; TSVIK, G.

Efforts to avoid loss of working time at the Minsk Automobile  
Plant. Sots.trud. no.1:122-125 Ja '57. (MLRA 10:4)

1. Nachal'nik otdela truda i zarplaty Minskogo avtomobil'nogo  
zavoda.  
(Minsk--Automobile industry)

GOL'BIN, Ya.; NEVEL'SKAYA, Nadezhda VIKTOROVNA; TSVIK, G.

Factory preparation of the organizer to the charter yesterday  
Sets, trial cr., 11.00 am. '77 (MRA M:)

1. Makinaya stranitsa otdeleniya po voprosam AN RSFSR (for Gol'bin,  
Nevel'skaya, and Tsvik), i. e. vsekh otdelenii organizatsii  
truda i zashchity trada. Vsekh otdelenii organizatsii (for Tsvik),  
Vsekh otdelenii sotsialnoy polityki (for Nevel'skaya)

GOL'BIN, Ya.A.

Means of lowering production costs in the White Russian glass  
industry. Sbor.nauch.rab.Bel.politekh.inst. no.63:171-178  
'58. (MIRA 12:4)  
(White Russia--Glass manufacture--Costs)